

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re

U.S. application of: Jun YAMADA, Masakazu OKADA, Kiyofumi

HASHIMOTO, and Mitsuyoshi MIYAI

For: LIQUID CRYSTAL DISPLAY ELEMENT AND  
METHOD OF PRODUCING THE SAME

U.S. Serial No.: To Be Assigned

Filed: Concurrently

Group Art Unit: To Be Assigned

Examiner: To Be Assigned

BOX PATENT APPLICATION

Assistant Director

for Patents

Washington, D.C. 20231

Dear Sir:

EXPRESS MAIL MAILING LABEL NO. EL58918974US  
DATE OF DEPOSIT: JUNE 29, 2001  
I hereby certify that this paper or fee is being deposited with the  
United States Postal Service "Express Mail Post Office to Addressee"  
service under 37 C.F.R. § 1.10 on the date indicated above and is  
addressed to BOX PATENT APPLICATION, Assistant Director for  
Patents, Washington, DC 20231.

Derrick T. Gordon

Name of Person Mailing Paper or Fee

*Derrick T. Gordon*

Signature

June 29, 2001

Date of Signature

**TRANSMITTAL OF PrintEFS PATENT APPLICATION**

**BIBLIOGRAPHIC DATA**

Submitted herewith is bibliographic data (2 pages) for the  
above-identified application, in the PrintEFS Version 1.0.1  
program format.

Respectfully submitted,

*James W. Williams*

James W. Williams  
Registration No. 20,047  
Attorney for Applicants

JWW/mhg  
SIDLEY AUSTIN BROWN & WOOD  
717 North Harwood  
Suite 3400  
Dallas, Texas 75201-6507  
(214) 981-3328 (direct)  
(214) 981-3300 (main)  
June 29, 2001

Figure 1. The effect of the concentration of the *Agaricus bisporus* spores on the growth of *Agaricus bisporus* on the substrate. The concentration of the spores was 10<sup>4</sup> spores/ml (a), 10<sup>5</sup> spores/ml (b), 10<sup>6</sup> spores/ml (c), 10<sup>7</sup> spores/ml (d), 10<sup>8</sup> spores/ml (e), 10<sup>9</sup> spores/ml (f), 10<sup>10</sup> spores/ml (g), 10<sup>11</sup> spores/ml (h), 10<sup>12</sup> spores/ml (i), 10<sup>13</sup> spores/ml (j), 10<sup>14</sup> spores/ml (k), 10<sup>15</sup> spores/ml (l), 10<sup>16</sup> spores/ml (m), 10<sup>17</sup> spores/ml (n), 10<sup>18</sup> spores/ml (o), 10<sup>19</sup> spores/ml (p), 10<sup>20</sup> spores/ml (q), 10<sup>21</sup> spores/ml (r), 10<sup>22</sup> spores/ml (s), 10<sup>23</sup> spores/ml (t), 10<sup>24</sup> spores/ml (u), 10<sup>25</sup> spores/ml (v), 10<sup>26</sup> spores/ml (w), 10<sup>27</sup> spores/ml (x), 10<sup>28</sup> spores/ml (y), 10<sup>29</sup> spores/ml (z), 10<sup>30</sup> spores/ml (aa), 10<sup>31</sup> spores/ml (ab), 10<sup>32</sup> spores/ml (ac), 10<sup>33</sup> spores/ml (ad), 10<sup>34</sup> spores/ml (ae), 10<sup>35</sup> spores/ml (af), 10<sup>36</sup> spores/ml (ag), 10<sup>37</sup> spores/ml (ah), 10<sup>38</sup> spores/ml (ai), 10<sup>39</sup> spores/ml (aj), 10<sup>40</sup> spores/ml (ak), 10<sup>41</sup> spores/ml (al), 10<sup>42</sup> spores/ml (am), 10<sup>43</sup> spores/ml (an), 10<sup>44</sup> spores/ml (ao), 10<sup>45</sup> spores/ml (ap), 10<sup>46</sup> spores/ml (aq), 10<sup>47</sup> spores/ml (ar), 10<sup>48</sup> spores/ml (as), 10<sup>49</sup> spores/ml (at), 10<sup>50</sup> spores/ml (au), 10<sup>51</sup> spores/ml (av), 10<sup>52</sup> spores/ml (aw), 10<sup>53</sup> spores/ml (ax), 10<sup>54</sup> spores/ml (ay), 10<sup>55</sup> spores/ml (az), 10<sup>56</sup> spores/ml (ba), 10<sup>57</sup> spores/ml (bb), 10<sup>58</sup> spores/ml (bc), 10<sup>59</sup> spores/ml (bd), 10<sup>60</sup> spores/ml (be), 10<sup>61</sup> spores/ml (bf), 10<sup>62</sup> spores/ml (bg), 10<sup>63</sup> spores/ml (bh), 10<sup>64</sup> spores/ml (bi), 10<sup>65</sup> spores/ml (bj), 10<sup>66</sup> spores/ml (bk), 10<sup>67</sup> spores/ml (bl), 10<sup>68</sup> spores/ml (bm), 10<sup>69</sup> spores/ml (bn), 10<sup>70</sup> spores/ml (bo), 10<sup>71</sup> spores/ml (bp), 10<sup>72</sup> spores/ml (bq), 10<sup>73</sup> spores/ml (br), 10<sup>74</sup> spores/ml (bs), 10<sup>75</sup> spores/ml (bt), 10<sup>76</sup> spores/ml (bu), 10<sup>77</sup> spores/ml (bv), 10<sup>78</sup> spores/ml (bw), 10<sup>79</sup> spores/ml (bx), 10<sup>80</sup> spores/ml (by), 10<sup>81</sup> spores/ml (bz), 10<sup>82</sup> spores/ml (ca), 10<sup>83</sup> spores/ml (cb), 10<sup>84</sup> spores/ml (cc), 10<sup>85</sup> spores/ml (cd), 10<sup>86</sup> spores/ml (ce), 10<sup>87</sup> spores/ml (cf), 10<sup>88</sup> spores/ml (cg), 10<sup>89</sup> spores/ml (ch), 10<sup>90</sup> spores/ml (ci), 10<sup>91</sup> spores/ml (cj), 10<sup>92</sup> spores/ml (ck), 10<sup>93</sup> spores/ml (cl), 10<sup>94</sup> spores/ml (cm), 10<sup>95</sup> spores/ml (cn), 10<sup>96</sup> spores/ml (co), 10<sup>97</sup> spores/ml (cp), 10<sup>98</sup> spores/ml (cq), 10<sup>99</sup> spores/ml (cr), 10<sup>100</sup> spores/ml (cs), 10<sup>101</sup> spores/ml (ct), 10<sup>102</sup> spores/ml (cu), 10<sup>103</sup> spores/ml (cv), 10<sup>104</sup> spores/ml (cw), 10<sup>105</sup> spores/ml (cx), 10<sup>106</sup> spores/ml (cy), 10<sup>107</sup> spores/ml (cz), 10<sup>108</sup> spores/ml (da), 10<sup>109</sup> spores/ml (db), 10<sup>110</sup> spores/ml (dc), 10<sup>111</sup> spores/ml (dd), 10<sup>112</sup> spores/ml (de), 10<sup>113</sup> spores/ml (df), 10<sup>114</sup> spores/ml (dg), 10<sup>115</sup> spores/ml (dh), 10<sup>116</sup> spores/ml (di), 10<sup>117</sup> spores/ml (dj), 10<sup>118</sup> spores/ml (dk), 10<sup>119</sup> spores/ml (dl), 10<sup>120</sup> spores/ml (dm), 10<sup>121</sup> spores/ml (dn), 10<sup>122</sup> spores/ml (do), 10<sup>123</sup> spores/ml (dp), 10<sup>124</sup> spores/ml (dq), 10<sup>125</sup> spores/ml (dr), 10<sup>126</sup> spores/ml (ds), 10<sup>127</sup> spores/ml (dt), 10<sup>128</sup> spores/ml (du), 10<sup>129</sup> spores/ml (dv), 10<sup>130</sup> spores/ml (dw), 10<sup>131</sup> spores/ml (dx), 10<sup>132</sup> spores/ml (dy), 10<sup>133</sup> spores/ml (dz), 10<sup>134</sup> spores/ml (ea), 10<sup>135</sup> spores/ml (eb), 10<sup>136</sup> spores/ml (ec), 10<sup>137</sup> spores/ml (ed), 10<sup>138</sup> spores/ml (ee), 10<sup>139</sup> spores/ml (ef), 10<sup>140</sup> spores/ml (eg), 10<sup>141</sup> spores/ml (eh), 10<sup>142</sup> spores/ml (ei), 10<sup>143</sup> spores/ml (ej), 10<sup>144</sup> spores/ml (ek), 10<sup>145</sup> spores/ml (el), 10<sup>146</sup> spores/ml (em), 10<sup>147</sup> spores/ml (en), 10<sup>148</sup> spores/ml (eo), 10<sup>149</sup> spores/ml (ep), 10<sup>150</sup> spores/ml (eq), 10<sup>151</sup> spores/ml (er), 10<sup>152</sup> spores/ml (es), 10<sup>153</sup> spores/ml (et), 10<sup>154</sup> spores/ml (eu), 10<sup>155</sup> spores/ml (ev), 10<sup>156</sup> spores/ml (ew), 10<sup>157</sup> spores/ml (ex), 10<sup>158</sup> spores/ml (ey), 10<sup>159</sup> spores/ml (ez), 10<sup>160</sup> spores/ml (fa), 10<sup>161</sup> spores/ml (fb), 10<sup>162</sup> spores/ml (fc), 10<sup>163</sup> spores/ml (fd), 10<sup>164</sup> spores/ml (fe), 10<sup>165</sup> spores/ml (ff), 10<sup>166</sup> spores/ml (fg), 10<sup>167</sup> spores/ml (fh), 10<sup>168</sup> spores/ml (fi), 10<sup>169</sup> spores/ml (fj), 10<sup>170</sup> spores/ml (fk), 10<sup>171</sup> spores/ml (fl), 10<sup>172</sup> spores/ml (fm), 10<sup>173</sup> spores/ml (fn), 10<sup>174</sup> spores/ml (fo), 10<sup>175</sup> spores/ml (fp), 10<sup>176</sup> spores/ml (fq), 10<sup>177</sup> spores/ml (fr), 10<sup>178</sup> spores/ml (fs), 10<sup>179</sup> spores/ml (ft), 10<sup>180</sup> spores/ml (fu), 10<sup>181</sup> spores/ml (fv), 10<sup>182</sup> spores/ml (fw), 10<sup>183</sup> spores/ml (fx), 10<sup>184</sup> spores/ml (fy), 10<sup>185</sup> spores/ml (fz), 10<sup>186</sup> spores/ml (ga), 10<sup>187</sup> spores/ml (gb), 10<sup>188</sup> spores/ml (gc), 10<sup>189</sup> spores/ml (gd), 10<sup>190</sup> spores/ml (ge), 10<sup>191</sup> spores/ml (gf), 10<sup>192</sup> spores/ml (gg), 10<sup>193</sup> spores/ml (gh), 10<sup>194</sup> spores/ml (gi), 10<sup>195</sup> spores/ml (gj), 10<sup>196</sup> spores/ml (gk), 10<sup>197</sup> spores/ml (gl), 10<sup>198</sup> spores/ml (gm), 10<sup>199</sup> spores/ml (gn), 10<sup>200</sup> spores/ml (go), 10<sup>201</sup> spores/ml (gp), 10<sup>202</sup> spores/ml (gq), 10<sup>203</sup> spores/ml (gr), 10<sup>204</sup> spores/ml (gs), 10<sup>205</sup> spores/ml (gt), 10<sup>206</sup> spores/ml (gu), 10<sup>207</sup> spores/ml (gv), 10<sup>208</sup> spores/ml (gw), 10<sup>209</sup> spores/ml (gx), 10<sup>210</sup> spores/ml (gy), 10<sup>211</sup> spores/ml (gz), 10<sup>212</sup> spores/ml (ha), 10<sup>213</sup> spores/ml (hb), 10<sup>214</sup> spores/ml (hc), 10<sup>215</sup> spores/ml (hd), 10<sup>216</sup> spores/ml (he), 10<sup>217</sup> spores/ml (hf), 10<sup>218</sup> spores/ml (hg), 10<sup>219</sup> spores/ml (hh), 10<sup>220</sup> spores/ml (hi), 10<sup>221</sup> spores/ml (hj), 10<sup>222</sup> spores/ml (hk), 10<sup>223</sup> spores/ml (hl), 10<sup>224</sup> spores/ml (hm), 10<sup>225</sup> spores/ml (hn), 10<sup>226</sup> spores/ml (ho), 10<sup>227</sup> spores/ml (hp), 10<sup>228</sup> spores/ml (hq), 10<sup>229</sup> spores/ml (hr), 10<sup>230</sup> spores/ml (hs), 10<sup>231</sup> spores/ml (ht), 10<sup>232</sup> spores/ml (hu), 10<sup>233</sup> spores/ml (hv

Inventor One Given Name:: Jun  
Family Name:: YAMADA  
Postal Address Line One:: Minolta Co., Ltd., Osaka Kokusai Bldg.,  
Postal Address Line Two:: 3-13, 2-Chome, Azuchi-Machi, Chuo-Ku  
City:: Osaka-Shi  
State or Province:: Osaka  
Country:: JAPAN  
Postal or Zip Code:: 541-8556  
City of Residence:: Osaka-Shi  
State or Province of Residence:: Osaka  
Country of Residence:: JAPAN  
Citizenship Country:: JAPAN  
Inventor Two Given Name:: Masakazu  
Family Name:: OKADA  
Postal Address Line One:: Minolta Co., Ltd., Osaka Kokusai Bldg.,  
Postal Address Line Two:: 3-13, 2-Chome, Azuchi-Machi, Chuo-Ku  
City:: Osaka-Shi  
State or Province:: Osaka  
Country:: JAPAN  
Postal or Zip Code:: 541-8556  
City of Residence:: Osaka-Shi  
State or Province of Residence:: Osaka  
Country of Residence:: JAPAN  
Citizenship Country:: JAPAN  
Inventor Three Given Name:: Kiyofumi  
Family Name:: HASHIMOTO  
Postal Address Line One:: Minolta Co., Ltd., Osaka Kokusai Bldg.,  
Postal Address Line Two:: 3-13, 2-Chome, Azuchi-Machi, Chuo-Ku  
City:: Osaka-Shi  
State or Province:: Osaka  
Country:: JAPAN  
Postal or Zip Code:: 541-8556  
City of Residence:: Osaka-Shi  
State or Province of Residence:: Osaka  
Country of Residence:: JAPAN  
Citizenship Country:: JAPAN  
Inventor Four Given Name:: Mitsuyoshi  
Family Name:: MIYAI  
Postal Address Line One:: Minolta Co., Ltd., Osaka Kokusai Bldg.,  
Postal Address Line Two:: 3-13, 2-Chome, Azuchi-Machi, Chuo-Ku  
City:: Osaka-Shi  
State or Province:: Osaka  
Country:: JAPAN  
Postal or Zip Code:: 541-8556  
City of Residence:: Osaka-Shi  
State or Province of Residence:: Osaka  
Country of Residence:: JAPAN  
Citizenship Country:: JAPAN

CORRESPONDENCE INFORMATION

Correspondence Customer Number:: 24367  
Fax One:: 214-981-3400  
Electronic Mail One:: pplap@sidley.com  
Electronic Mail Two:: jwwilliams@sidley.com

APPLICATION INFORMATION

Title Line One:: LIQUID CRYSTAL DISPLAY ELEMENT AND METHO  
Title Line Two:: D OF PRODUCING THE SAME  
Total Drawing Sheets:: 25  
Formal Drawings?:: Yes  
Application Type:: Utility  
Docket Number:: 15162/03780  
Secrecy Order in Parent Appl.?:: No

REPRESENTATIVE INFORMATION

Representative Customer Number:: 24367

PRIOR FOREIGN APPLICATIONS

Foreign Application One:: 2000-199023  
Filing Date:: 06-30-2000  
Country:: JAPAN  
Priority Claimed:: Yes  
Foreign Application Two:: 2000-236810  
Filing Date:: 08-04-2000  
Country:: JAPAN  
Priority Claimed:: Yes  
Foreign Application Three:: 2001-072054  
Filing Date:: 03-14-2001  
Country:: JAPAN  
Priority Claimed:: Yes  
Foreign Application Four:: 2001-072911  
Filing Date:: 03-14-2001  
Country:: JAPAN  
Priority Claimed:: Yes

Source:: PrintEFS Version 1.0.1